Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
S1	1	("5774146").PN.	USPAT; USOCR	OR	OFF	2005/11/29 14:23
S2	34	measur\$5 near5 (quality or characteristic) near5 (print adj1 (media or page or sheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:15
S3	23	S2 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:20
S4	32	scan\$5 near10 ((quality or characteristic) near5 (print adj1 (media or page or sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:15
S5	17	S4 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:22
S6	47	determin\$5 near5 (quality or characteristic) near5 (print adj1 (media or page or sheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:20
S7	22	S6 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:50
S8	70	((quality or characteristic) near5 (print adj1 (media or page or sheet))) same (coat\$3 near10 (media or page or sheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:10
S9	29	S8 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:11

S10	5	((quality or characteristic) near5 (print adj1 (media or page or sheet))) same (hot adj1 roll\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:10
S11	4	S10 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:40
S12	947	(347/101).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 16:40
S13	671	S12 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:41
S14	44515	(rough\$4 or smooth\$4) near5 (page or sheet or (print adj1 media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:42
S15	797	S14 same (hot adj1 roll\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/11/16 14:47
S16	5	S15 and (scanner or ccd)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:45
S17	4	S15 and ("358"/\$.ccls. or "347"/\$.ccls. or "399"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:50

S18	2028	S14 same heat same roll\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 08:59
S19	144	S18 and ("358"/\$.ccls. or "347"/\$.ccls. or "399"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:51
S20	99	S19 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 14:52
S21	580	(measur\$5 or determin\$5) near10 (toner near5 adher\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:04
S22	6	S21 near10 (ccd or scan\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 09:01
S23	413	S21 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:12
S24	52	S23 and (coat\$3 near10 (sheet or page or paper or media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:54
S25	46	S23 and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 10:54

S26	112	(measur\$5 or detect\$5) near10 mottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:08
S27	86	S26 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:34
S28	3214	(coating near10 (paper or sheet or media or page)) same toner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:25
S29	279	(coating near10 (paper or sheet or media or page)) same (toner near10 adher\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:27
S30	246	S29 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:50
S31	3	(coating near10 (paper or sheet or media or page)) same ((measur\$5 or determin\$5) near10 toner near10 adher\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:29
S32	0	((measur\$5 or detect\$5) near10 mottle) same ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:33
S33	1	mottle same ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:46

S34	11	mottle same scanner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:34
S35	6	S34 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:41
S36	12	mottle near10 correct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:41
S37	7	S36 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:46
S38	113	mottle same printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:46
S39	61	S38 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 10:57
S40		(adjust\$4 near10 (half\$1tone adj1 screen)) same (dot adj1 gain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 10:57
S41	0	S40 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 10:57

S42	121	mottle came (printer or conjur)	LIS-DCDLIB.	OR	ON	2005/12/10 12:47
372	121	mottle same (printer or copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	UK	ON	2005/12/19 12:47
S43	68	S42 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:09
S44		((measur\$5 or detect\$5) near5 mottle) and (printer or copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:22
S45	17	S44 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:27
S46	1	(correct\$3 near5 mottle) and (printer or copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/12/19 12:26
S47	24	((remov\$3 or eliminat\$3) near5 mottle) and (printer or copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:27
S48	19	S47 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:47
S49	5	mottle near10 scanner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:51

			ı			
S50	3	S49 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:51
S51	10	mottle near10 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:52
S52	2	S51 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:51
S53	1	mottle near10 ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 12:52
S54	117	(coat\$3 near5 (both adj1 sides) near5 (paper or media or sheet)) and ("358"/\$.ccls. or "382"/\$.ccls. or "347"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:21
S55	79	S54 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:30
S56	8	(coat\$3 near5 (both adj1 sides) near5 (paper or media or sheet)) and ("358"/\$.ccls. or "382"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:27
S57	0	(coat\$3 near5 (each adj1 side) near5 (paper or media or sheet)) and ("358"/\$.ccls. or "382"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:28

S58	803	(coat\$3 near5 ((each or both) adj1 side) near5 (paper or media or sheet)) and (printer or copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:29
S59	90	(coat\$3 near5 ((each or both) adj1 side) near5 (paper or media or sheet)) same (printer or copier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 09:29
S60	68	S59 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:17
S61	466	(358/487).CCLS.	USPAT; USOCR	OR	OFF	2005/12/21 11:02
S62	449	S61 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:02
S63	141	mottle same ((both or each) adj1 side)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:17
S64	99	S63 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 11:18
S65	3330	(toner near5 (adher\$5 or adhesion)) same coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:59
S66	1468	(toner near5 (adher\$5 or adhesion)) with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:18

S67	12	S66 and ("358"/\$.ccls. or "382"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:24
S68	9	S67 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:01
S69	6691	((measur\$5 or determin\$5) near5 (adher\$5 or adhesion)) same coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:23
S70	10	S69 and ("358"/\$.ccls. or "382"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:24
S71	7	S70 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:57
S72	531	(coat\$3 near5 (paper or sheet or media)) same (toner near5 (adher\$5 or adhesion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:01
S73	443	S72 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:15
S74	123	(modify or modified or modifying or modification or adjust or adjusted or adjusting or adjustment) near10 (halftone adj1 screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:57

	1					
S75	63	S74 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:15
S76	5	S74 and bleed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:27
S77	1	S76 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:29
S78	18	S74 and ((through or thru) near5 (sheet or paper or media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:29
S79	8	S78 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:19
S80	37	((halftone or threshold) adj1 (matrix or screen)) same bleed\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:21
S81	15	S80 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:22
S82	18	((halftone or threshold) adj1 (matrix or screen)) same (thin near5 (sheet or paper or media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:22

S83	16	S82 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:16
S84	530	(bleed\$3 adj3 (through or thru)) near10 (sheet or paper or media)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:31
S85	5	S84 same halfton\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:53
S86	0	("6,067,4065,974,1605,684,7074,869, 1014,835,5735,053,8145,067,8355, 282,0015,424,8215,502,5555,809, 3676,088,547").PN.	USPAT; USOCR	OR	OFF	2005/12/22 15:06
S87	12	(("6,067,406") or ("5,974,160") or ("5,684,707") or ("4,869,101") or ("4,835,573") or ("5,053,814") or ("5,067,835") or ("5,282,001") or ("5,424,821") or ("5,502,555") or ("5,809,367") or ("6,088,547")).PN.	USPAT; USOCR	OR	OFF	2005/12/22 15:14
S88	833	((358/3.06) or (358/3.13) or (358/3.14) or (358/3.21) or (358/3.24)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 15:37
S89	548	S88 not @ad>="20011121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/12/22 15:38
S90	650	((358/534) or (358/535) or (358/536)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/22 15:38
S91	492	S90 not S88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 15:38